






TS2.224 Fig.1
Left Hand Hung.



2-4 Model		
N of Turns	Direction	Size
5	-	2
0		3
5	+	4



CE	BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224			UK CA					
		CF6170								
AD10296	20	Fig 1 - EN1154:1996+A1:2002	4	8	2 4	1	1	3	AD-UK AD8110	22
		Fig 6 - EN1154:1996+A1:2002	3	8	2 3	1	1	3		

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg (Minimum for a Fire Door)
4	1100mm	80 Kg

* : FACTORY PRE-SET



TS2.224 Fig.1
Right Hand Hung.



2-4 Model		
N of Turns	Direction	Size
5	-	2
0		3
5	+	4

CE 2812-CPR	BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224						UK CA 1121-CPR		
AD10296	20	Fig 1 - EN1154:1996+A1:2002	4	8	2	1	1	3	AD-UK AD8110	22
		Fig 6 - EN1154:1996+A1:2002	3	8	2	1	1	3		

EN1154			* : FACTORY PRE-SET
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)	
2	850mm	40 Kg	
3*	950mm	60 Kg (Minimum for a Fire Door)	
4	1100mm	80 Kg	

