

This Template Covers Regular Parallel Arm Installation to 105°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg




	Boss Door Controls Ltd 3 & 4 Rutherford Square Brucefield Industry Park LIVINGSTON, West Lothian EH54 9BU, United Kingdom	BOSS TS5.224
		2009
1121-CPR-AD0218	FIG 6 EN 1154:1996+A1:2002/2006	3 8 4 1 1 3



TS5.224 BC Fig. 6
Right Hand Hung.

This Face to Underside
of Frame Head.

Fold Line Here.
(Underside of
Frame Head).



This Template Covers Regular Parallel Arm Installation to 105°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg



	Boss Door Controls Ltd 3 & 4 Rutherford Square Brucefield Industry Park LIVINGSTON, West Lothian EH54 9BU, United Kingdom	BOSS TS5.224
	FIG 6 EN 1154:1996+A1:2002/2006	2009
1121-CPR-AD0218		3 8 4 1 1 3