TS2.224 Fig.1
Left Hand Hung.



2-4 Model		
N of Turns	Direction	Size
5	-	2
0		3
5	+	4

CE	BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224						UKCA
2812-CPR		Warrington Fire certifire CERTIFICATION			CF6170			1121-CPR
AD10296	20	Fig 1 - EN1154:1996+A1:2002	4	8	2/4	1	1	3	AD-UK AD8110	22
		Fig 6 - EN1154:1996+A1:2002	3	8	2/3	1	1	3		

EN1154 * : FACTORY PRE-SET		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg (Minimum for a Fire Door)
4	1100mm	80 Kg

boss door controls

48565450
Revision A.

TS2.224 Fig.1
Right Hand Hung.



2-4 Model		
N of Turns	Direction	Size
5	-	2
0		3
5	+	4

CE 2812-CPR		BOSS Door Controls Ltd 3-4 Rutherford Square, Brucefield Industrial Park, Livingston, West Lothian, EH54 9BU, United Kingdom	TS2.224						UKCA 1121-CPR		
			warrington certifire CERTIFICATION			CF6170					
AD10296	20	Fig 1 - EN1154:1996+A1:2002	4	8	2/4	1	1	3	AD-UK AD8110	22	
		Fig 6 - EN1154:1996+A1:2002	3	8	2/3	1	1	3			

EN1154 * : FACTORY PRE-SET		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
2	850mm	40 Kg
3*	950mm	60 Kg (Minimum for a Fire Door)
4	1100mm	80 Kg

boss door controls

48565450
Revision A.