Fold Line Here.
(Underside of
Frame Head).



50 -14 48568472 - (A)

Left Hand Hung.





2-5 Model		
N° of Turns	Direction	Size
5	-	2
0	*	3
5	+	4
9	+	5



Power Adjustment

* : FACTORY PRE-SET

This Template Covers Parallel Arm Installation to 105°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

APPROVED PRODUCT
CF689

boss door controls

CE 2812-CPR		Boss Door Controls Ltd 3-4 Rutherford Square Buncefield Industry Park Livingston EN54 9BU Scotland	TS5.225 certifire CF689						UKCA 1121-CPR	
AD0217	22	FIG 1 EN 1154:1996+A1:2002	4	8	2/5	1	1	3	AD - UK AD8021	22
		FIG 6 EN 1154:1996+A1:2002	3	8	2/5	1	1	3		

48568472 - (A)

Right Hand Hung.











2-5 Model		
N° of Turns	Direction	Size
5	-	2
0	*	3
5	+	4
9	+	5



Power Adjustment

* : FACTORY PRE-SET

This Template Covers Parallel Arm Installation to 105°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

CE 2812-CPR		Boss Door Controls Ltd 3-4 Rutherford Square Buncefield Industry Park Livingston EN54 9BU Scotland	TS5.225 certifire CF689						UKCA 1121-CPR	
AD0217	22	FIG 1 EN 1154:1996+A1:2002	4	8	2/5	1	1	3	AD - UK AD8021	22
		FIG 6 EN 1154:1996+A1:2002	3	8	2/5	1	1	3		

APPROVED PRODUCT
CF689

boss door controls