92 -6 48591932 (A)

Left Hand Hung.



This template covers track arm installation to 110°

2-4 Model		
N° of Turns	Direction	Size
4	-	2
0	*	3
6	+	4

Power Adjustment

* : FACTORY PRE-SET

CE 2812-CPR	Boss Door Controls Ltd 3-4 Rutherford Square Buncefield Industry Park Livingston EN54 9BU Scotland	TS5.225SA certifire CF689							UKCA 1121-CPR	
AD8072	23	FIG 1 EN 1154:1996+A1:2002	3	8	2/4	1	1	3	AD - UK AD8024	22
		FIG 6 EN 1154:1996+A1:2002	3	8	2/3	1	1	3		

EN1154

Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

APPROVED PRODUCT
CF689

boss door controls

Right Hand Hung.



Fold Line Here.
(Top of Door)

446mm to Next Fixing Point.

48591932 (A)



2-4 Model		
N° of Turns	Direction	Size
4	-	2
0	*	3
6	+	4



Power Adjustment

* : FACTORY PRE-SET

CE 2812-CPR		Boss Door Controls Ltd 3-4 Rutherford Square Buncefield Industry Park Livingston EN54 9BU Scotland	TS5.225SA certifire CF689						UK CA 1121-CPR	
AD8072	23	FIG 1 EN 1154:1996+A1:2002	3	8	2/4	1	1	3	AD - UK AD8024	22
		FIG 6 EN 1154:1996+A1:2002	3	8	2/3	1	1	3		

This template covers track arm installation to 110°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

warringtonfire certifire CERTIFICATION

APPROVED PRODUCT
CF689

boss door controls