51 -21 48497141 (A)

Left Hand Hung.



3-6 Model		
N° of Turns	Direction	Size
5	–	3
0	*	4*
3	+	5
8	+	6

Power Adjustment

* : FACTORY PRE-SET

This Template Covers Regular Arm Installation to 180°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

APPROVED PRODUCT
CF6141

boss door controls

CE 2812-CPR		Boss Door Controls Ltd 3-4 Rutherford Square Buncefield Industry Park Livingston EN54 9BU Scotland	TS5.226 certifire				CF689		UKCA 1121-CPR	
AD5424	20	FIG 1 EN 1154:1996+A1:2002	4	8	3 6	1	1	3	AD - UK AD8023	22
		FIG 6 EN 1154:1996+A1:2002	3	8	3 5	1	1	3		

48497141 (A)

Right Hand Hung.









3-6 Model		
N° of Turns	Direction	Size
5	–	3
0	*	4*
3	+	5
8	+	6



Power Adjustment

* : FACTORY PRE-SET

This Template Covers Regular Arm Installation to 180°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

CE 2812-CPR

Boss Door Controls Ltd
3-4 Rutherford Square
Buncefield Industry Park
Livingston EN54 9BU
Scotland

TS5.226 — certifire — CF689

UK CA 1121-CPR

AD5424	20	FIG 1 EN 1154:1996+A1:2002	4	8	3/6	1	1	3	AD - UK AD8023	22
		FIG 6 EN 1154:1996+A1:2002	3	8	3/5	1	1	3		

APPROVED PRODUCT
CF6141

boss door controls